Ensure Plus milkshake style

1.5kcal/ml complete, balanced nutritional supplement drink

FOR HEALTHCARE PROFESSIONAL USE ONLY

PRESENTATION

- Presented in 200 ml (300 kcal) bottles
- Available in banana, chocolate, coffee, fruits of the forest, neutral, peach, raspberry, strawberry and vanilla flavours.

USES

Food for Special Medical Purposes, for use under medical supervision. Suitable as a nutritional supplement or as a sole source of nutrition for patients who cannot or will not eat sufficient quantities of everyday food and drink to meet their nutritional requirements.

Nutritionally complete for vitamins and minerals in 1000 ml (excluding electrolytes, calculated using the UK Reference Nutrient Intake for men aged 19-50 years).

COMMUNITY USE-PRESCRIPTIONS

Can be prescribed on a FP10 (GP10 in Scotland) for the following indications:

- · Disease-related malnutrition
- Total gastrectomy
- Short bowel syndrome
- Bowel fistulae
- Intractable malabsorption
- Pre-operative preparation of patients who are malnourished
- Proven inflammatory bowel disease
- CAPD
- Haemodialysis
- Dysphagia

All prescriptions should be endorsed ACBS (Advisory Committee on Borderline Substances).

STORAGE & DIRECTIONS FOR USE

- Store unopened at room temperature.
- Ready for use. Open immediately prior to use.
- Shake well before use.
- Best served chilled unless bolus feeding is indicated, in which case the product should be administered at room temperature.
- May also be served as warm drinks. Do not boil.
- Ensure Plus neutral and vanilla flavour bottles will attach to all Abbott giving sets.
- Once opened, unused product should be resealed and stored in a refrigerator. Unused contents should be discarded after 24 hours.

PRECAUTIONS

- In patients receiving some medications there may be a risk of drug nutrient interactions (e.g. warfarin and vitamin K). Careful prescribing and monitoring practices will serve to reduce the risk (please refer to pharmacist).
- Patients should not make any additions to the feed without consulting their pharmacist or dietitian.
- Many nutritional products contain sucrose and other sugars. It is important for patients who are taking supplements as sip feeds to observe good oral hygiene. It is suggested that patients consult with their dentist for further advice.
- Unless recommended by a healthcare professional, not intended for use in children.
- When feeding to patients with dysphagia, please thicken the product as appropriate.

CONTRA-INDICATIONS

- FOR ENTERAL USE ONLY.
- Not for use in galactosaemia.
- Suitable for people with diabetes provided that routine glucose checks are performed.

INGREDIENTS

Water, maltodextrin, hydrolysed corn starch, *milk* proteins, sucrose, vegetable oils (canola, corn), minerals (sodium citrate, potassium citrate, magnesium chloride, potassium chloride, magnesium phosphate dibasic, calcium phosphate tribasic, potassium phosphate dibasic, ferrous sulphate, zinc sulphate, manganese sulphate, cupric sulphate, sodium molybdate, potassium iodide, chromium chloride, sodium selenate), *soy* protein isolate, flavourings, stabilisers (E460, E466, E418), emulsifier: *soy* lecithin, choline chloride, vitamins (C, E, niacinamide, calcium pantothenate, vitamin B₆, vitamin B₁, vitamin B₂, vitamin A palmitate, beta carotene, folic acid, vitamin K₁, biotin, vitamin D₃, vitamin B₁₂).

Note: all information based on vanilla flavour. Some minor differences exist between flavours.

GENERAL INFORMATION

| Energy density | 1.5 kcal/ml |
|---|---|
| Energy distribution: Protein Carbohydrate Fat | 16.7% 53.8% 29.5% |
| Renal solute load | 468 mOsm/L |
| Osmolarity | 509 mOsm/L |
| Osmolality | 660 mOsm/kg H₂O |
| Gluten free? | ✓ |
| Clinically lactose free? | ✓ |
| Milk free? | × |
| Suitable for vegetarians? | √ 1,2 |
| Suitable for vegan diet? | × |
| Suitable for Halal diet? | ✓ except vanilla flavour |
| Suitable for Kosher diet? | ✓ except fruits of the forest, peach, raspberry & strawberry flavours |
| | |

For other free-from information, please contact the Freephone Nutrition Helpline on 0800 252882.

- Fruits of the forest, peach, raspberry and strawberry flavours contain E120 (cochineal) which some people may consider to be a meat product.
- Vitamin D is synthesised from cholesterol, extracted from the grease in wool sheared from live sheep.



Version 3: August 2020

Ensure Plus milkshake style 1.5kcal/ml complete, balanced nutritional supplement drink

FOR HEALTHCARE PROFESSIONAL USE ONLY

| NUTRIT | TION INFO | RMATION | 1 |
|---|-----------|-------------|-------------|
| | units | per 100 ml | per 200 ml |
| Energy | kJ | 632 | 1263 |
| | kcal | 150 | 300 |
| Fat | g | 4.92 | 9.84 |
| - of which saturates | g | 0.45 | 0.90 |
| - of which MCT* | g | 0 | 0 |
| Carbohydrate | g | 20.2 | 40.4 |
| - of which sugars | g | 6.50 | 13 |
| Protein (nitrogen) | g | 6.25 (1.00) | 12.5 (2.00) |
| Salt | g | 0.23 | 0.46 |
| Fibre | g | 0 | 0 |
| Y/:* | | | |
| Vitamins | | | 004 |
| Vitamin A (RE) | μg | 117 | 234 |
| - of which β-carotene | μg | 29 | 58 |
| Vitamin D ₃ Vitamin E (α TE) | μg | 2.0 | 4.0 |
| Vitamin K ₁ | mg | 12 | 4.3 24 |
| Vitamin C | μg mg | 12 | 24 |
| Folacin (folic acid) | μg | 40 | 80 |
| Thiamin (vitamin B ₁) | mg | 0.20 | 0.40 |
| Riboflavin (vitamin B ₂) | mg | 0.27 | 0.54 |
| Vitamin B ₆ | mg | 0.27 | 0.54 |
| Vitamin B ₁₂ | μg | 0.55 | 1.1 |
| Niacin (NE) | mg | 2.6 | 5.2 |
| Pantothenic acid | mg | 1,1 | 2.2 |
| Biotin | μg | 6.0 | 12 |
| >c' 1 | | | |
| Minerals Sodium | (1) | 22 (122) | 10.4 (0.00) |
| | mg (mmol) | 92 (4.00) | 184 (8.00) |
| Potassium | mg (mmol) | 160 (4.09) | 320 (8.18) |
| Chloride | mg (mmol) | 110 (3.10) | 220 (6.21) |
| Calcium | mg (mmol) | 120 (2.99) | 240 (5.99) |
| Phosphorus (phosphate) | mg (mmol) | 100 (3.23) | 200 (6.46) |
| Magnesium | mg (mmol) | 30 (1.23) | 60 (2.47) |
| Iron | mg | 2.1 | 4.2 |
| Zinc | mg | 1.8 | 3.6 |
| Manganese | mg | 0.50 | 1.0 |
| Copper | mg | 0.18 | 0.36 |
| Iodine | μg | 22 | 44 |
| Selenium | μg | 8.3 | 17 |
| Chromium | μg | 7.5 | 15 |
| Molybdenum | μg | 16 | 32 |
| Choline | mg | 55 | 110 |
| Water | g | 77.4 | 155 |
| | 0 | 77.1 | -00 |

| PROTEIN & AMINO ACIDS | | | |
|--------------------------|-----------------|----------|----------|
| | g/100 g protein | g/100 ml | g/200 ml |
| Protein source | | | |
| | | | |
| Milk protein isolate | 55.0 | 3.44 | 6.88 |
| Calcium caseinate | 20.0 | 1.25 | 2.50 |
| Sodium caseinate | 15.0 | 0.94 | 1.88 |
| Soy protein isolate | 10.0 | 0.63 | 1.26 |
| Amino acids | | | |
| - Essential | | | |
| Histidine | 2.58 | 0.16 | 0.32 |
| Isoleucine | 4.98 | 0.31 | 0.62 |
| Leucine | 8.83 | 0.55 | 1.1 |
| Lysine | 7.48 | 0.47 | 0.94 |
| Methionine | 2.41 | 0.15 | 0.30 |
| Phenylalanine | 4.71 | 0.29 | 0.58 |
| Threonine | 4.39 | 0.27 | 0.54 |
| Tryptophan | 1.38 | 0.09 | 0.18 |
| Valine | 6.01 | 0.38 | 0.76 |
| Arginine | 3.79 | 0.24 | 0.48 |
| - Non-essential | | | |
| Alanine | 3.12 | 0.20 | 0.40 |
| Aspartic acid | 3.55 | 0.22 | 0.44 |
| Cystine | 0.60 | 0.04 | 0.08 |
| Glutamic acid | 9.78 | 0.61 | 1.22 |
| Glycine | 2.03 | 0.13 | 0.26 |
| Proline | 9.57 | 0.60 | 1.20 |
| Serine | 5.44 | 0.34 | 0.68 |
| Tyrosine | 4.94 | 0.31 | 0.62 |
| Asparagine | 3.97 | 0.25 | 0.50 |
| Glutamine | 10.4 | 0.65 | 1.30 |
| Nīga mastain salania, Nī | 405.4 | | |
| Non-protein calorie: N | 125 :1 | | |
| | | | |

| CARBOHYDRATES | | | |
|---|--------------------------|----------|-----------|
| | % total carbohydrates | g/100 ml | g/ 200 ml |
| Carbohydrate source | | | |
| | | | |
| Maltodextrin | 41.7 | 8.42 | 16.8 |
| Corn syrup | 30 | 6.1 | 12.2 |
| Sucrose | 27.6 | 5.6 | 11.2 |
| Stabilisers: E460 (cellulose); E466 (carboxymethyl cellulose) | 0.79 | 0.16 | 0.32 |
| | | | |

| | FAT & F | ATTY ACID | S | |
|-------------------|---------|---------------------|-----------|------------|
| | | % total fatty acids | g/100 ml | g/200 ml |
| Fat source | | | | |
| Canola oil | | 60.6 | 2.98 | 5.96 |
| Corn oil | | 35.9 | 1.77 | 3.54 |
| Lecithin | | 3.50 | 0.17 | 0.34 |
| Fatty acids | | g/100 g fat | g/100 ml | g/ 200 ml |
| - Essential | | 8/1008181 | 8/100 III | 8/ 200 III |
| Linoleic acid | C18:2 | 32.2 | 1.58 | 3.16 |
| Linolenic acid | C18:3 | 5.43 | 0.27 | 0.54 |
| | - | | | |
| - Monounsaturated | | | | |
| Palmitoleic acid | C16:1 | 0.18 | 0.01 | 0.02 |
| Oleic acid | C18:1 | 46.6 | 2.28 | 4.56 |
| Gadoleic acid | C20:1 | 0.93 | 0.05 | 0.10 |
| Erucic acid | C22:1 | 0.44 | 0.02 | 0.04 |
| | | | | |
| - Saturated | | | | |
| Caproic acid | C6:0 | - | - | - |
| Caprylic acid | C8:o | - | - | - |
| Capric acid | C10:0 | - | - | - |
| Lauric acid | C12:0 | - | - | - |
| Myristic acid | C14:0 | 0.09 | trace | trace |
| Palmitic acid | C16:0 | 6.81 | 0.33 | 0.66 |
| Margaric acid | C17:0 | 0.09 | trace | trace |
| Stearic acid | C18:0 | 1.84 | 0.09 | 0.18 |
| Arachidic acid | C20:0 | 0.49 | 0.02 | 0.04 |
| Behenic acid | C22:0 | 0.46 | 0.02 | 0.04 |
| Tricosanoic acid | C23:0 | - | - | - |
| Lignoceric acid | C24:0 | 0.15 | 0.01 | 0.02 |
| | | | | |
| P/S ratio | 3.76 | | | |
| n6:n3 | 5.9:1 | | | |
| 110 . 113 | 5.9.1 | | | |

Abbott Laboratories Ltd., Abbott House, Vanwall Business Park, Vanwall Rd., Maidenhead, Berks. SL6 4XE. Tel: 0800 252882 Nutrition.abbott/uk

Abbott Laboratories (Ireland) Ltd., Liffey Valley Office Campus, Dublin 22. Tel: (01) 4691500 Fax: (01) 4691501 abbottnutrition.ie

UK-ENSP-2000020 Date of Preparation: August 2020 Version 3

